

SITE NEEDS (Based on a standard residential block)

- Broom Finished Plain Concrete Pathway. Exposed aggregate driveway (The driveway is designed and constructed for passenger vehicles only that access into the Garage).
- Site costs including piling
- Service Connection - Power, Phone, Water, Sewer, Gas & Stormwater
- 3000L slimline rainwater tank Colorbond Coloured Steel above ground water tank, connected to all toilets, cold washing machine tap and one garden tap.

CONCRETE SLAB

- Engineer designed concrete slab to suit soil classification
- Engineer designed concrete slab to Porch / Patio/ Alfresco
- Porch and Alfresco including broom finished concrete slab, brick piers and roof over.

TERMITE TREATMENT

- RENTOKIL Homeguard Red termite protection to pipe penetrations and perimeter cavity with 25 year warranty and \$1,000,000 insurance cover

FRAME

- HYNE T2 Blue Termite Resistant Framing
- 450mm Eaves to Roof Line (where applicable)
- 90mm external and internal stud frames to ground and first floor
- Nominal 2740mm high ceilings to the ground floor & 2450mm high ceilings to first floor. Garages and Studios to have 2440mm ceilings
- 300mm engineered joist system

BRICKS

- Selection of bricks as per external colour selection. Laid in Natural mortar (yellow sand and grey cement) with ironed joint finish.

WINDOWS

- STEGBAR Aluminium windows and sliding doors in manufacturers standard colour range including security keyed windows & door locks with obscure glass to bathrooms, ensuite & powder room.

ROOFING

- Colorbond roof with Anticon blanket

FASCIA & GUTTER

- Colorbond Fascia & Gutter with painted PVC Downpipes.

INSULATION

- CSR BRADFORD R2.5 Thermal batts to external walls including internal wall between Garage & House. **Note:** Excludes external walls of Garage
- CSR BRADFORD R3.5 batts to ceilings with roof over (excluding ceilings over garage, porch, alfresco & balcony)

FRONT DOOR

- CORINTHIAN Madison PMAD 101 2340mm high x 820mm wide entrance door (with clear glass) in paint finish to all facades.
- Sidelights where applicable are clear glazed.

INTERNAL DOORS

- CORINTHIAN flush pre hung internal doors in pre-primed paint finish - 2340mm high to Ground Floor & 2040 high doors to First Floor

FIXOUT

- 67 x 12mm Bevelled Edge profile architrave with paint finish
- 67 x 12mm Bevelled Edge profile skirting with paint finish
- 90mm cove cornice at the junction of wall and ceiling

DOOR FURNITURE

- External Doors: GAINSBOROUGH Tri-lever in satin or polished chrome for the front door and Laundry. GAINSBOROUGH satin or polished chrome lever handles with 1951 deadlock to door between house and garage.
- Internal Doors: GAINSBOROUGH Amelia Series Lever handles with privacy sets to all Bathrooms, Ensuite & WC's.
- Wardrobe Doors: Choice of either Bar or Square Designer Handles
- Wall/door stops to bedrooms, wet areas and living areas (excl robes and linen).

STAIRCASE

- Painted timber staircase with square newel posts, handrail & balusters with MDF treads and risers

ROBES

- Sliding robes (2040h) to bedroom robes with one melamine shelf & hanging rail.

LINEN CUPBOARD

- STEGBAR Melamine shelves Four (4) to linen cupboards. Note: No allowance has been made for any shelves in "Store" cupboards

GARAGE DOORS

- B & D Colorbond Panelift door
- Remote control operation (to both doors if applicable), including two handsets.

HOT WATER SYSTEM

- RHEEM Metro 6 star Continuous 26L gas wall mounted hot water system. Model 875E26NF

KITCHEN

- Laminated doors with 2mm ABS edges in a wide range of colours
- 20mm CAESARSTONE Bench Top to Kitchen, selected from Rawson Homes range.
- Overhead Cupboards to Kitchen
- Plasterboard bulkheads to Overhead Cupboards
- Kitchen kickboards as per doors
- Cutlery Tray to Kitchen Drawer
- Provision for dishwasher including water point and single power point
- Provision for microwave including single power point
- CLARK Vital 1129 1180mm double bowl end stainless steel sink
- Tiled splashback to kitchen (Selected from standard range)

KITCHEN APPLIANCES - Oven

- WESTINGHOUSE 'WVE615S' 60cm electric oven in Stainless Steel finish

KITCHEN APPLIANCES - Cooktop

- Westinghouse WHG641SA 60cm 4 burner gas cooktop in stainless steel finish

KITCHEN APPLIANCES - Rangehood

- WESTINGHOUSE 'WRH608IS' retractable externally ducted rangehood in Stainless Steel finish

GAS CONNECTION

- Gas service connection from front boundary to house, including provision for hot water system, cooktop and internal heating point.

ELECTRICAL

- Three phase underground mains provision with Single Phase switchboard
- NBN Provision includes:
 - Conduit and draw wire from front boundary to meterbox;
 - Conduit and draw wire from Meterbox to back internal wall of garage;
 - One single power point to internal back wall of garage;
 - One additional telephone point to back internal wall of garage; and
 - One CAT6 data point to internal wall of garage.
- Earth leakage circuit breaker for lights and power
- LED downlights to ground floor
- Oyster light fittings to First Floor
- 2 way switch to stairs only
- 1 double power point (Double GPO) to each room, including garage
- Power provision (Single GPO) for fridge provision
- Power provision (Single GPO) for dishwasher provision
- Power provision (Single GPO) for microwave provision
- Power provision (Single GPO) for rangehood provision
- Exhaust Fan in the bathroom and ensuite vented into roof space with two external eave vents
- Isolated powder room exhaust fan
- 2 x telephone points
- 2 x television points
- External light point to eaves at external doors
- External junction box beside external doors without eaves (for fitting by owner)
- Direct wired smoke detectors with battery back up as required

AIR CONDITIONING

- DAIKIN 14KW standard Inverter ducted air conditioning with 2 zones and return air to be located on the ceiling. Note: Positions of outlets and return air is determined by air conditioning contractor. This unit is designed to have one zone operating at a time.

LAUNDRY SINK

- CLARK 45 Litre stainless steel tub with white metal cabinet

VANITY UNITS

- Laminated square edge tops to floating vanities in a wide range of colours
- Laminated doors with PVC edges in a wide range of colours
- Caroma Cosmo Semi Recessed OR Caroma Cosmo Inset (Basins determined by architectural plans) with one tap hole and standard plug and waste
- Laminated benchtop and apron to Powder Room. (Where specified on brochure plan)

VANITY MIRRORS

- Frameless polished edge bathroom mirrors.

BATHROOM ACCESSORIES

- CAROMA Cosmo double towel rail and toilet roll holder to bathroom & ensuite. Towel ring to Powder room where applicable

BATHS

- STYLUS Maxton 1675 white rectangular bath.

TOILET SUITES

- STYLUS Prima close coupled toilet suite

SHOWER SCREENS

- STEGBAR Softline Series framed shower screens with pivot doors, chrome trims and clear laminated glass

TAPS & FITTINGS

- STYLUS VENECIA Mixer to Kitchen Sink
- STYLUS Cadet chrome basin mixers to all basins
- STYLUS Cadet Wall Mounted chrome mixer and Caroma Liano tapware to bath tub
- CAROMA Mystic Hand Held Shower with Rail
- STYLUS VENECIA Mixer to Laundry
- STYLUS VENECIA Washing Machine Set to Laundry (concealed behind tub)

WALL & FLOOR TILING - WET AREAS

- Wall & Floor tiles to Wet Areas from Rawson Homes range
- Tiling Heights - Bathroom and Ensuite - 2100mm high to shower recess, 500mm over bath, skirting tile to remainder
 - Laundry - 300mm high tiling over laundry tub & skirting tiles to remainder.

FLOOR COVERINGS

- Laminate flooring (from Rawson Homes extensive range) to entire Ground Floor excluding wet areas
- Carpet to remainder of dwelling (selected from standard range)
- Tiling to Alfresco and Patio slabs from Rawson Homes extensive range

PAINTING

- TAUBMANS 3 coat paint system to internal walls including 2 external paint colours, 1 internal wall colour, 1 ceiling colour, Taubmans Gloss paint to doors and internal woodwork.

LANDSCAPING

- As per approved Landscape plans
- River pebbles to sides and shaded areas
- Powdercoated steel letterbox and Clothesline

W.H & S

- Heavy Duty Scaffold to perimeter of house
- Safety Rail to perimeter of roof
- Safety Rail to perimeter of first floor
- Stair Void Protection

COUNCIL/AUTHORITY FEES AND APPLICATION REQUIREMENTS

- Council Development Application fee
- Home Owners Warranty Insurance
- Construction Certificate Fee
- Occupation Certificate Fee
- Standard Water Authority fee and Sewer Inspections fee
- Long Service Levy fee
- Certifier inspection fee
- Architectural Plans
- Shadow Diagrams
- Statement of Environmental Effects
- Waste Management Report
- ABSA Certificate
- BASIX or EERS Certificate

Rawson Homes Pty Ltd considers safety in every aspect of your home, from design through to handover. During the construction phase, all components, including those that are at a height of 3.0 metres or more, can be completed safely due to Rawson Homes strict policies, work methods and safety controls. However, once the finished house is handed over to the client, Rawson Homes can no longer ensure the safety of any person that needs to maintain any components (for example, but not limited to, light fittings, fixtures, antennas or gutter cleaning). The client must be aware that the maintenance of any components that are at a height of 3.0 metres or more, will require the implementation of adequate safety control measures and the service of a qualified person that is trained in safe work at heights.

SITE NEEDS (Based on a standard residential block)

- Broom Finished Plain Concrete Pathway. Exposed aggregate driveway (The driveway is designed and constructed for passenger vehicles only that access into the Garage).
- Site costs including piling
- Service Connection - Power, Phone, Water, Sewer, Gas & Stormwater

CONCRETE SLAB

- Engineer designed concrete slab to suit soil classification
- Engineer designed concrete slab to Porch / Patio
- Porch and Alfresco including broom finished concrete slab, brick piers and roof over.

TERMITE TREATMENT

- RENTOKIL Homeguard Red termite protection to pipe penetrations and perimeter cavity with 25 year warranty and \$1,000,000 insurance cover

FRAME

- HYNEX T2 Blue Termite Resistant Framing
- 450mm Eaves to Roof Line (where applicable)
- 90mm external and internal stud frames
- Garages and Studios to have 2440mm ceilings
- 300mm engineered joist system

BRICKS

- Selection of bricks as per external colour selection. Laid in Natural mortar (yellow sand and grey cement) with ironed joint finish.

WINDOWS

- STEGBAR Aluminium windows and sliding doors in manufacturers standard colour range including security keyed windows & door locks with obscure glass to bathrooms, ensuite & powder room.

ROOFING

- Colorbond roof with Anticon blanket

FASCIA & GUTTER

- Colorbond Fascia & Gutter with painted PVC Downpipes.

INSULATION

- CSR BRADFORD R2.5 Thermal batts to external walls **Note:** Excludes external walls of Garage
- CSR BRADFORD R4.1 batts to ceilings with roof over (excluding ceilings over garage, porch, alfresco & balcony)

FRONT DOOR

- CORINTHIAN Madison PMAD 101 entrance door (with clear glass) in paint finish to all facades.
- Sidelights where applicable are clear glazed.

INTERNAL DOORS

- CORINTHIAN flush pre hung internal doors in pre-primed paint finish - 2040mm high

FIXOUT

- 67 x 12mm Bevelled Edge profile architrave with paint finish
- 67 x 12mm Bevelled Edge profile skirting with paint finish
- 90mm cove cornice at the junction of wall and ceiling

DOOR FURNITURE

- External Doors: GAINSBOROUGH Tri-lever in satin or polished chrome for the front door. GAINSBOROUGH satin or polished chrome lever handles with 1951 deadlock to door between house and garage.
- Internal Doors: GAINSBOROUGH Amelia Series Lever handles with privacy sets to all Bathrooms & WC's.
- Wardrobe Doors: Choice of either Bar or Square Designer Handles
- Wall/door stops to bedrooms, wet areas and living areas (excl robes and linen).

STAIRCASE

- Painted timber staircase with square newel posts, handrail & Balusters with MDF treads and risers

ROBES

- Sliding robes to bedroom robes with one melamine shelf & hanging rail.

LINEN CUPBOARD

- STEGBAR Melamine shelves Four (4) to linen cupboards. Note: No allowance has been made for any shelves in "Store" cupboards

GARAGE DOORS

- B & D Colorbond Panelift door
- Remote control operation (to both doors if applicable), including two handsets.

HOT WATER SYSTEM

- RHEEM Metro 6 star Continuous 26L gas wall mounted hot water system. Model 875E26NF

KITCHEN

- Laminated doors with 2mm ABS edges in a wide range of colours
- 20mm CAESARSTONE Bench Top to Kitchen, selected from Rawson Homes range.
- Overhead Cupboards to Kitchen
- Plasterboard bulkheads to Overhead Cupboards
- Kitchen kickboards as per doors
- Cutlery Tray to Kitchen Drawer
- Double bowl inset sink
- Tiled splashback to kitchen (Selected from standard range)

KITCHEN APPLIANCES - Oven

- WESTINGHOUSE 'WVE615S' 60cm electric oven in Stainless Steel finish

KITCHEN APPLIANCES - Cooktop

- Westinghouse WHG641SA 60cm 4 burner gas cooktop in stainless steel finish

KITCHEN APPLIANCES - Rangehood

- WESTINGHOUSE 'WRH608IS' retractable externally ducted rangehood in Stainless Steel finish

GAS CONNECTION

- Gas service connection from front boundary to house, including provision for hot water system, cooktop and internal heating point.

ELECTRICAL

- Three phase underground mains provision with Single Phase switchboard
- NBN Provision includes:
 - Conduit and draw wire from front boundary to meterbox;
 - Conduit and draw wire from Meterbox to back internal wall of garage;
 - One single power point to internal back wall of garage;
 - One additional telephone point to back internal wall of garage; and
 - One CAT6 data point to internal wall of garage.
- Earth leakage circuit breaker for lights and power
- LED downlights to First floor
- 2 way switch to stairs only.
- 1 double power point (Double GPO) to each room, including garage
- Power provision (Single GPO) for fridge provision
- Power provision (Single GPO) for rangehood provision
- Exhaust Fan in the bathroom vented into roof space with external eave vents
- 1 x telephone points
- 1 x television points
- External light point to eaves at external doors
- External junction box beside external doors without eaves (for fitting by owner)
- Direct wired smoke detectors with battery back up as required

AIR CONDITIONING

- Daikin Inverter - 2.5Kw split system air conditioning unit. The split system must be installed on an external wall. The unit's suitability to the location and serviceable area is to be confirmed i.e. Bedroom. This unit is provided for supplementary heating and cooling.

LAUNDRY SINK

- CLARK 45 Litre stainless steel tub with white metal cabinet

VANITY UNITS

- Laminated square edge tops to floating vanities
- Laminated doors with PVC edges in a wide range of colours
- Caroma Cosmo Semi Recessed OR Caroma Cosmo Inset (Basins determined by architectural plans) with one tap hole and standard plug and waste

VANITY MIRRORS

- Frameless polished edge bathroom mirrors.

BATHROOM ACCESSORIES

- CAROMA Cosmo double towel rail and toilet roll holder to bathroom

TOILET SUITES

- STYLUS Prima close coupled toilet suite

SHOWER SCREENS

- STEGBAR Softline Series framed shower screens with pivot doors, chrome trims and clear laminated glass

TAPS & FITTINGS

- STYLUS VENECIA Mixer to Kitchen Sink
- STYLUS Cadet chrome basin mixers to all basins
- CAROMA Mystic Hand Held Shower with Rail
- STYLUS VENECIA Mixer to Laundry
- STYLUS VENECIA Washing Machine Set to Laundry (concealed behind tub)

WALL & FLOOR TILING - WET AREAS

- Wall & Floor tiles to Wet Areas from Rawson Homes extensive range
- Tiling Heights - Bathroom and Ensuite - 2100mm high to shower recess, 500mm over bath, skirting tile to remainder
 - Laundry - 300mm high tiling over laundry tub & skirting tiles to remainder.

FLOOR COVERINGS

- Laminate flooring (from Rawson Homes extensive range) to entire Studio excluding the Bedroom
- Carpet to Bedroom (from Rawson Homes extensive range)
- Tiling to Balcony slab from Rawson Homes extensive range

PAINTING

- TAUBMANS 3 coat paint system to internal walls including 2 external paint colours, 1 internal wall colour, 1 ceiling colour, Taubmans Gloss paint to doors and internal woodwork.

W.H & S

- Heavy Duty Scaffold to perimeter of house
- Safety Rail to perimeter of roof
- Safety Rail to perimeter of first floor
- Stair Void Protection

COUNCIL/AUTHORITY FEES AND APPLICATION REQUIREMENTS

- Council Development Application fee
- Home Owners Warranty Insurance
- Construction Certificate Fee
- Occupation Certificate Fee
- Standard Water Authority fee and Sewer Inspections fee
- Long Service Levy fee
- Certifier inspection fee
- Architectural Plans
- Shadow Diagrams
- Statement of Environmental Effects
- Waste Management Report
- ABSA Certificate
- BASIX or EERS Certificate

Rawson Homes Pty Ltd considers safety in every aspect of your home, from design through to handover. During the construction phase, all components, including those that are at a height of 3.0 metres or more, can be completed safely due to Rawson Homes strict policies, work methods and safety controls. However, once the finished house is handed over to the client, Rawson Homes can no longer ensure the safety of any person that needs to maintain any components (for example, but not limited to, light fittings, fixtures, antennas or gutter cleaning). The client must be aware that the maintenance of any components that are at a height of 3.0 metres or more, will require the implementation of adequate safety control measures and the service of a qualified person that is trained in safe work at heights.