

Lot 2102, Gelt Street, Land size 284 sqm<sup>2</sup>













# GARAGE 3000 x 6180

### Package Includes:

Split system Air-conditioning, Landscaping including: Kikuyu turf to front (including nature strip), rear and sides

- \* (1No.) native tree
- \* Up to 20m2 of garden soil, pine mulch and 150mm-300mm native plants
- \* Wall mounted clothesline
- \* Brick letterbox with metal insert, painted render finish and house number
- \* 1800mm high treated pine lapped and capped fencing
- \* (1No.) 1800mm high x 900mm wide treated pine lapped and capped gate to side of home
- \* Chemical application to termaguard reticulation system.

Colour-on Driveway with natural grey

Flyscreens and roller blinds to Windows.

Specifications	
3	2 🏠 1
Property Type	House & Land
Contract Type	2 Part Contract
Titled	Yes
Land Area	284 sqm
Total House Area	120.56 sqm
Land Price	\$439,000
House Price	\$267,359
Total Price	\$706,359
Design	Corriente 13
Facade	Mode
Reservation Deposit	\$1,000





Met Basics



Sales Partner: Kim Ni
0425 249 368

Specification

kim@goldmategroup.com







# STANDARD INCLUSIONS



### PRE-CONSTRUCTION

- HI fixed price contract, plans and specifications
- Contour survey, Engineer's soil report and slab design
- Council building application fees (Standard applications, excluding town planning,
- Contour survey
- Pre-determined colour scheme by Metricon Studio M décor designers

### SITE WORKS, FOUNDATIONS & CONNECTIONS

- Balanced cut & fill excavation for up to 1000mm site fall over the building platform Waffle pod concrete slab up to H2 soil classification
- Piering (if required) to suit balanced cut & fill excavation for up to 1000mm site fall over the building platform
- Termite treatment (reticulated and rechargeable perimeter systems)
  Sewer and stormwater connections to existing serviceable connection points
- Electrical mains
- Water connection from pre-tapped water main
- House constructed for N2 wind rating conditions (W33) 3000L Slimline rainwater tank, including concrete slab, pump, connections & recycled water plumbing to WC's, (1No.) external tap and Laundry No allowance is made for retaining walls

### **ENERGY EFFICIENCY**

- Ceiling insulation batts rating R4.1 to ceiling area as required
- Sisalation "Wall-wrap" and R2.0 insulation batts to external stud walls (includes R2.0 insulation batts to Garage/House internal walls)
  Energy efficient aluminium windows and sliding door units
- Chromagen 170 litre heat pump hot water unit 500 KPA water pressure limiting device

### FRAME, BRICKS, WINDOWS, ROOF TILES & GARAGE

- Termite resistant frame and truss system Clay bricks from the builder's standard range
- Off white coloured mortar with ironed joints Powder coated aluminium windows in the standard builder's range of colours with clear glass and locks to openable windows
- Obscure glazing to all wet area windows
- Concrete roof tiles in the standard builder's range of colours / profiles
- Colorbond® panelift door to the front facade of the garage in the standard builder's range of colours
- Remote Control Garage door system
- Colorbond® fascia and gutter in the standard builder's range of profiles and colours
- Painted PVC downpipes to suit rainwater tank (if applicable) OR Colorbond® downpipes in the standard builder's range of profiles and colours

### **EXTERNAL FEATURES**

- Painted timber entry door frames sidelights, if applicable, in clear glass 2040mm high x 820mm wide Hume XN1 clear glazed painted external front entry
- hinged door with clear glass
- 2040mm high x 820mm wide Hume Glass Opening XF3 painted hinged external door with clear glass to other external doors (if applicable)
  Lane Caletta entrance lever set to hinged external doors (including Garage/house
- access door
- Lane Specifier series double cylinder deadbolt to external hinged doors
- Slab rebate to all standard external sliding doors
  Two (2) coat external paint system to external trim and doors using Dulux paints to manufacturers standard specifications
- Two (2) external wall garden hose taps
- Integrated plain concrete slab to Portico/Porch and Outdoor Room (if applicable)
- Retaining walls (if required)
- External builders house clean
- Site clean after construction

### KITCHEN FEATURES

- 20mm Caesarstone bench tops, selected from the builder's standard range. Laminate finish overhead cupboard (up to 800mm wide with side hinged doors) to
- each side of rangehood
- Laminate finish cupboards in the standard builder's range of laminates and door
- Contrasting laminate colour
- Microwave provision, including single power point and single pot drawer below
- Dishwasher provision, including single power point and plumbing point 600mm Bellissimo by Technika TB60FDTSS-5 stainless steel/black glass electric
- 600mm Technika CFM641-2 electric cooktop
- 600mm Technika CHEM52A6S-2 stainless steel canopy rangehood Base Mk3 1200mm, 1¾ end bowl stainless steel sink
- Base Mk2 upswept kitchen sink mixer tap

### **LAUNDRY FEATURES**

- Base 42L trough and cabinet
- Base Mk2 upswept sink mixer tap Round chrome floor waste

### **BATHROOM, ENSUITE & TOILETS**

- 20mm Caesarstone bench tops, selected from the builder's standard range
- Laminate finish vanities in the standard Builders range of laminates & door handles. Clear toughened glass shower screens with powder coated
- aluminium frames in the standard builder's range of colours
- 1100mm high mirrors with powder coated aluminium frames seated
- on vanity to match vanity width
  Base inset 540 oval, white vitreous china basin with chrome waste
  Base 1560mm freestanding bath with chrome waste
- Base Mk2 basin mixers
- Base Mk2 shower mixer
- Rase rail shower
- Base Mk2 bath mixer with Posh Solus 220mm wall bath spout
- Phoenix "Gen X" range towel rails/rings and toilet roll holders in chrome Posh Domaine white vitreous china close coupled rimless toilet with soft close quick release seat
- Chrome square floor wastes where required.

### **CERAMIC TILING**

- Ceramic tiles Selected from standard builder's range
- Standard wet areas as nominated on the Master Plan Bathroom and Ensuite are 2000mm high to showers 1200mm to walls
- adjacent to bath skirting tiles Kitchen splashback. Laundry and toilet floors splashback over tub skirt tile
- Main floor (refer working drawings), Portico/Porch, Outdoor Room (where applicable) No allowance has been made for frieze or decorator tiles
- No allowance has been made for laying of border tiles, 45 degree patterns or floor feature

### **ELECTRICAL**

- Earth leakage safety switch and circuit breakers Single phase underground power provision from existing supply point
- Meter box will be installed on the side nearest mains connection One (1) double power point to each room
- LED downlights throughout (excluding Kitchen and Garage) LED ceiling mounted light to Kitchen

- LED downlights above Kitchen island bench Strip fluorescent light with diffuser to Garage
- Two (2) external light points

  Home Network Lite package, including an enclosure, NBN provision, one (1) phone point, two (2) TV points & three (3) data points
- Smoke detectors hard wired with battery backup as per BCA requirements

### **INTERNAL FEATURES**

- 2400mm (nominal) ceiling height throughout to single and double storey homes Carpet grade staircase with paint grade maple hand rail and stainless steel balusters to
- double storey homes
- Category 1 range carpet including standard foam underlay (refer working drawings)
- Internal Hume 2040mm high flush panel passage doors Door stops standard builder's range
- Lane Caletta internal door furniture Aluminium framed Polytec melamine 2065mm high sliding robe doors
- (flush panel hinged doors to walk in robes)
- Shelving robes: one white melamine shelf with hanging rail. Broom: one white melamine shelf. Pantry/Linen: four white melamine shelves
- Skirtings and architraves are 66mm high (nominal) paint finish as per builder's standard
- 90mm cove cornice throughout home
- Internally, three (3) coat internal paint system using Dulux Professional paints 2 colours allowed (i.e. 1 colour to walls & 1 colour to timber work) to paint manufacturers standard specifications. Two (2) coats to ceiling using Dulux Professional ceiling white paint to paint manufacturer's standard specifications

## **WARRANTIES**

- 6 months maintenance period
- Statutory structural guarantee period
- Builders Lifetime structural guarantee

Metricon reserve the right to alter any of the above specifications due to continuing product development or availability of items.

Signature of Client		
Signature of Client		_
Date		

Effective: 14/06/2019



KITCHEN BENCHTOP
Caesarstone 20mm Urban



KITCHEN BASE CABINETRY Laminex Oyster Grey



KITCHEN OVERHEAD CABINETRY Laminex Lustrous Elm



**KITCHEN KICKER** Formica Stainless Steel



TILED SPLASHBACK BELWP200 Gloss White



**WET AREA BENCHTOP** (Excludes Laundry) Caesarstone 20mm Urban



**WET AREA BASE CUPBOARDS/KICKER** (Excludes Laundry)
Laminex Lustrous Elm



TILE MAIN FLOOR NT17-5060FL



TILES WET AREA (Floor and walls) NT17-5060FL



**CARPET**Esperance /Pine Grove



**CEILING**Dulux Lexicon Half



**WALLS/ SKIRTING AND ARCHITRAVE**Dulux Mt. Aspiring



**BLOCK OUT BLIND** Niagara Zen Gravity



ROBE DOOR POLYTEC MELAMINE COLOUR
Classic White

Initial \_\_\_\_\_/\_\_



**BRICKWORK** Everyday Life - Unwind



**TILED ROOF**Monier Elabana Babylon



WINDOWS/ DOORS & FRONT ENTRY DOOR^

Basalt




**GARAGE DOOR**Basalt




**CLADDING\***Dulux Pipe Clay



**RENDER** (Design Specific) Dulux Linseed



**EAVE**Dulux Lexicon Half



**GUTTER**Colorbond® Basalt



FASCIA
Colorbond® Surfmist



**DOWNPIPE**Colorbond® Basalt



**EXTERNAL HINGED DOOR**Dulux Pipe Clay



**EXTERNAL FLOOR TILE** (Design Specific) NT13 2018FL



**DRIVEWAY**Gun Metal

Initial \_\_\_\_\_ /\_\_\_