Lot 2129, Felling Street, Land size 314.6 sqm²













Package Includes:

2 x split system air-conditioning, Landscaping including: Kikuyu turf to front (including nature strip), rear and sides

- * (1No.) native tree
- * Up to 20m2 of garden soil, pine mulch and 150mm-300mm native plants
- * Wall mounted clothesline
- * Brick letterbox with metal insert, painted render finish and house number
- * 1800mm high treated pine lapped and capped fencing
- * (1No.) 1800mm high x 900mm wide treated pine lapped and capped gate to side of home
- * Chemical application to termaguard reticulation system.

Colour-on Driveway with natural grey

Flyscreens and roller blinds to Windows.

Specifications

3	2 🍙 1
Property Type	House & Land
Contract Type	2 Part Contract
Titled	Yes
Land Area	314.6 sqm
Total House Area	161.72 sqm
Land Price	\$459,000
House Price	\$361,591
Total Price	\$820,591
Design	Aubrac 17
Facade	Aspire
Reservation Deposit	\$1,000
Specification	Met Basics

MetInvest





Sales Partner: Kim Ni
0425 249 368




kim@goldmategroup.com













STANDARD INCLUSIONS



PRE-CONSTRUCTION

- HI fixed price contract, plans and specifications
- Contour survey, Engineer's soil report and slab design
- Council building application fees (Standard applications, excluding town planning,
- Contour survey
- Pre-determined colour scheme by Metricon Studio M décor designers

SITE WORKS, FOUNDATIONS & CONNECTIONS

- Balanced cut & fill excavation for up to 1000mm site fall over the building platform Waffle pod concrete slab up to H2 soil classification
- Piering (if required) to suit balanced cut & fill excavation for up to 1000mm site fall over the building platform
- Termite treatment (reticulated and rechargeable perimeter systems)
 Sewer and stormwater connections to existing serviceable connection points
- Electrical mains
- Water connection from pre-tapped water main
- House constructed for N2 wind rating conditions (W33) 3000L Slimline rainwater tank, including concrete slab, pump, connections & recycled water plumbing to WC's, (1No.) external tap and Laundry No allowance is made for retaining walls

ENERGY EFFICIENCY

- Ceiling insulation batts rating R4.1 to ceiling area as required
- Sisalation "Wall-wrap" and R2.0 insulation batts to external stud walls (includes R2.0 insulation batts to Garage/House internal walls)
 Energy efficient aluminium windows and sliding door units
- Chromagen 170 litre heat pump hot water unit 500 KPA water pressure limiting device

FRAME, BRICKS, WINDOWS, ROOF TILES & GARAGE

- Termite resistant frame and truss system Clay bricks from the builder's standard range
- Off white coloured mortar with ironed joints Powder coated aluminium windows in the standard builder's range of colours with clear glass and locks to openable windows
- Obscure glazing to all wet area windows
- Concrete roof tiles in the standard builder's range of colours / profiles
- Colorbond® panelift door to the front facade of the garage in the standard builder's range of colours
- Remote Control Garage door system
- Colorbond® fascia and gutter in the standard builder's range of profiles and colours
- Painted PVC downpipes to suit rainwater tank (if applicable) OR Colorbond® downpipes in the standard builder's range of profiles and colours

EXTERNAL FEATURES

- Painted timber entry door frames sidelights, if applicable, in clear glass 2040mm high x 820mm wide Hume XN1 clear glazed painted external front entry
- hinged door with clear glass
- 2040mm high x 820mm wide Hume Glass Opening XF3 painted hinged external door with clear glass to other external doors (if applicable)
 Lane Caletta entrance lever set to hinged external doors (including Garage/house
- access door
- Lane Specifier series double cylinder deadbolt to external hinged doors
- Slab rebate to all standard external sliding doors
 Two (2) coat external paint system to external trim and doors using Dulux paints to manufacturers standard specifications
- Two (2) external wall garden hose taps
- Integrated plain concrete slab to Portico/Porch and Outdoor Room (if applicable)
- Retaining walls (if required)
- External builders house clean
- Site clean after construction

KITCHEN FEATURES

- 20mm Caesarstone bench tops, selected from the builder's standard range. Laminate finish overhead cupboard (up to 800mm wide with side hinged doors) to
- each side of rangehood
- Laminate finish cupboards in the standard builder's range of laminates and door
- Contrasting laminate colour
- Microwave provision, including single power point and single pot drawer below
- Dishwasher provision, including single power point and plumbing point 600mm Bellissimo by Technika TB60FDTSS-5 stainless steel/black glass electric
- 600mm Technika CFM641-2 electric cooktop
- 600mm Technika CHEM52A6S-2 stainless steel canopy rangehood Base Mk3 1200mm, 1¾ end bowl stainless steel sink
- Base Mk2 upswept kitchen sink mixer tap

LAUNDRY FEATURES

- Base 42L trough and cabinet
- Base Mk2 upswept sink mixer tap Round chrome floor waste

BATHROOM, ENSUITE & TOILETS

- 20mm Caesarstone bench tops, selected from the builder's standard range
- Laminate finish vanities in the standard Builders range of laminates & door handles. Clear toughened glass shower screens with powder coated
- aluminium frames in the standard builder's range of colours
- 1100mm high mirrors with powder coated aluminium frames seated
- on vanity to match vanity width
 Base inset 540 oval, white vitreous china basin with chrome waste
 Base 1560mm freestanding bath with chrome waste
- Base Mk2 basin mixers
- Base Mk2 shower mixer
- Rase rail shower
- Base Mk2 bath mixer with Posh Solus 220mm wall bath spout
- Phoenix "Gen X" range towel rails/rings and toilet roll holders in chrome Posh Domaine white vitreous china close coupled rimless toilet with soft close quick release seat
- Chrome square floor wastes where required.

CERAMIC TILING

- Ceramic tiles Selected from standard builder's range
- Standard wet areas as nominated on the Master Plan Bathroom and Ensuite are 2000mm high to showers 1200mm to walls
- adjacent to bath skirting tiles Kitchen splashback. Laundry and toilet floors splashback over tub skirt tile
- Main floor (refer working drawings), Portico/Porch, Outdoor Room (where applicable) No allowance has been made for frieze or decorator tiles
- No allowance has been made for laying of border tiles, 45 degree patterns or floor feature

ELECTRICAL

- Earth leakage safety switch and circuit breakers Single phase underground power provision from existing supply point
- Meter box will be installed on the side nearest mains connection One (1) double power point to each room
- LED downlights throughout (excluding Kitchen and Garage) LED ceiling mounted light to Kitchen

- LED downlights above Kitchen island bench Strip fluorescent light with diffuser to Garage
- Two (2) external light points

 Home Network Lite package, including an enclosure, NBN provision, one (1) phone point, two (2) TV points & three (3) data points
- Smoke detectors hard wired with battery backup as per BCA requirements

INTERNAL FEATURES

- 2400mm (nominal) ceiling height throughout to single and double storey homes Carpet grade staircase with paint grade maple hand rail and stainless steel balusters to
- double storey homes
- Category 1 range carpet including standard foam underlay (refer working drawings)
- Internal Hume 2040mm high flush panel passage doors Door stops standard builder's range
- Lane Caletta internal door furniture Aluminium framed Polytec melamine 2065mm high sliding robe doors
- (flush panel hinged doors to walk in robes)
- Shelving robes: one white melamine shelf with hanging rail. Broom: one white melamine shelf. Pantry/Linen: four white melamine shelves
- Skirtings and architraves are 66mm high (nominal) paint finish as per builder's standard
- 90mm cove cornice throughout home
- Internally, three (3) coat internal paint system using Dulux Professional paints 2 colours allowed (i.e. 1 colour to walls & 1 colour to timber work) to paint manufacturers standard specifications. Two (2) coats to ceiling using Dulux Professional ceiling white paint to paint manufacturer's standard specifications

WARRANTIES

- 6 months maintenance period
- Statutory structural guarantee period
- Builders Lifetime structural guarantee

Metricon reserve the right to alter any of the above specifications due to continuing product development or availability of items.

Signature of Client		
Signature of Client		_
Date		

Effective: 14/06/2019



KITCHEN BENCHTOP
Caesarstone 20mm Ice Snow



KITCHEN BASE CABINETRY Laminex Ghostgum



KITCHEN OVERHEAD CABINETRY Laminex Burnished Wood



KITCHEN KICKERFormica Stainless Steel



TILED SPLASHBACKBELWPS99 Café Light Cream



WET AREA BENCHTOP (Excludes Laundry)
Caesarstone 20mm Ice Snow



WET AREA BASE CUPBOARDS/KICKER (Excludes Laundry)
Laminex Burnished Wood



TILES MAIN FLOOR NT13-2001FL




TILE WET AREA (Floor & Walls) NT13-2001FL



CARPET
In The Loop - Channel SC0515



Dulux Natural White



WALLS/ SKIRTING AND ARCHITRAVEDulux Natural White




BLOCK OUT BLINDNiagara Zen Illusion




ROBE DOOR POLYTEC MELAMINE COLOUR
Classic White

Initial _____/__



BRICKWORK Everyday Life - Freedom



TILED ROOF Monier Elabana Sambuca



WINDOWS / DOORS
Colorbond® Monument



GARAGE DOOR Colorbond® Monument



PAINTED FRONT ENTRY DOOR & CLADDING*
Dullux Heifer



RENDER (Design Specific) Dulux Mud Puddle



EAVEDulux Natural White



GUTTERColorbond® Night Sky



FASCIA Colorbond® Night Sky



DOWNPIPEColorbond® Night Sky



EXTERNAL HINGED DOORDulux Heifer



EXTERNAL FLOOR TILE (Design Specific)



DRIVEWAY Coal

Initial _____ /___